

# MOBILE & STATIONARY HYDRAULIC FILTRATION





## MOBILE AND STATIONARY HYDRAULIC FILTRATION

Every day our filters and our filter elements efficiently satisfy the filtration requirements of countless applications all over the world.


Wherever a hydraulic or lubrication system is operating, on fixed or mobile applications, FILTREC filters and filter elements ensure the correct oil cleanliness to maintain the system's efficiency and reliability.

Our continuously evolving and expanding range of filter assemblies covers suction, pressure and return applications, to effectively solve the contamination control requirements of hydraulic systems.

We also produce a huge range of quality filter elements to replace the majority of filter brands.

The FILTREC "CROSS NAVIGATOR" database has been specifically developed to easily find our part number corresponding to other filter manufacturers codes.

The performances of our filter elements and of our assemblies are validated by vigorous laboratory tests performed according to the most recent ISO specifications.



### SUCTION FILTERS

- FS-1
- FS-7

$Q_{max}$ (l/min)
500
160



### PRESSURE FILTERS

	$Q_{max}$ (l/min)	$P_{max}$ (bar)
• F420-D1	400	420
• F280-D1	400	280
• F160-XD	400	160
• F100-XD	400	100
• FD-3	40	110
• F040-DMD	300	70
• FDM-1	30	315



## RETURN FILTERS

- FR-1
- FR-8
- FCR-7
- FVR-7

$Q_{\max}$ (l/min)
600
150
600
600



## HIGH AND LOW PRESSURE SPIN-ON FILTERS

	$Q_{\max}$ (l/min)	$P_{\max}$ (bar)
• FA-1	300	12
• FA-2	150	12
• FA-4-1x	130	34
• FA-4-2x	200	24



## ACCESSORIES

- FL Level Gauges
- FB-1 Air Breather Filters
- FT Filler Breather Filters
- INDICATORS Clogging Indicators




## FILTER ELEMENTS

Standard replacement filter elements for after-market applications or custom made to your requirements.

See our online interchange catalogue.

info & contact: [www.filtrec.com](http://www.filtrec.com)  
[info@filtrec.it](mailto:info@filtrec.it)



CT67-rev.00-09/14



**FILTREC**  
Technical Filtration